



1 COLUMN(s) MARK: 4A
 >>> SHOP PRIME PER SPEC'S <<<
 REF: 1/S3.0

BILL OF MATERIAL									
ABM MARK	SHIPPING MARK	ASSY MARK	NO. REQ'D	DESCRIPTION	LENGTH	GRADE	WEIGHT	REMARKS	
4A			1	COLUMN					
		4A	1	HSS8X8X1/2	41'-7 1/2"	A500-GR.B	1912		
		T31	1	PL5/16X12	1'-0 3/4"	A572	14		
		T32	3	PL5/16X9	1'-0 3/4"	A572	30		
		T42	1	PL1/2X11 5/16	2'-3 1/4"	A572	42		
		T46	1	PL1/2X11 5/8	1'-8 13/16"	A572	32		
		T48	1	PL1/2X16 13/16	1'-10 11/16"	A572	50		
		T59	1	PL1/2X13 13/16	2'-2 9/16"	A572	48		
		T69	1	PL5/16X9	1'-0 3/4"	A572	10		
		T71	1	PL1 1/4X21	3'-9"	A572	336		
		T102	1	WTSX38.5	0'-9"	A36	29		
		T103	1	WTSX38.5	0'-6"	A36	19		
		p12	1	PL1/4X7 1/2	0'-7 1/2"	A572	4		
							TOTAL =	2525	

DRAWING NOTES:
 NO PAINT WITHIN 3" OF ALL 3-HOLE CONNECTORS.

1-15-08	REMOVE HOLD - REVISE MK. 4A
1-14-08	ISSUED FOR FABRICATION
1-2-08	REVISE PER KPFF S1 & S2
12-14-07	ISSUED FOR APPROVAL

MATERIAL:	A36 U.O.N.	HOLE SIZE:	NOTED	BOLT GRADE:	A325N U.O.N.	MINIMUM WELD:		ELECTRODE:	E700xx
-----------	------------	------------	-------	-------------	--------------	---------------	--	------------	--------

FABRICATORS LOGO

STREET ADDRESS: PHONE: (555) 123-4567
 CITY, ST ZIP: FAX: (555) 123-4567

ARCH:	Associates, Inc. Los Angeles, CA	JOB NAME & LOCATION:	UCSD
ENGR:	Consulting Engineers Los Angeles, CA		Stair Tower
CONTR:	Contractor Inc. San Diego, CA		UCSD CVC EXPANSION La Jolla, CA

DRAWN BY:	TMI 12/09/2007	CHECKED BY:	JP 12-12-07	JOB:	2510
SHEET TITLE:	COLUMN			SHEET:	4

MODIFIED DATE: 12/11/2011
 LAST PLOT DATE: 01/15/2008
 CAD FILENAME: SAMPLES